

200+400

, 13											
1.	200	2:30.40	589	400	5:18.11	587			05	1176	2
2.	400	5:21.23	570	200	2:34.09	548	"	"	04	1118	2
3.	400	5:20.71	572	200	2:35.72	531	/		05	1103	2
4.	400	5:26.24	544	200	2:37.28	515			04	1059	2
5.	400	5:26.59	542	200	2:37.54	513			06	1055	2
6.	400	5:34.06	506	200	2:38.36	505			06	1011	2
7.	200	2:38.05	508	400	5:35.99	498			04	1006	2
8.	200	2:40.75	482	400	5:41.92	472			06	954	2
9.	400	5:39.91	481	200	2:42.49	467			06	948	2
10.	400	5:40.72	477	200	2:44.17	453	/		06	930	2
11.	400	5:34.99	502	200	2:47.75	424			05	926	2
12.	200	2:42.34	468	400	5:53.85	426			02	894	2
13.	200	2:44.38	451	400	6:01.29	400			05	851	2
	200	2:46.14	437	400	5:57.15	414		-	06	851	2
15.	200	2:46.95	431	400	6:03.58	393			06	824	2
16.	400	6:00.43	403	200	2:52.37	391		-	07	794	2
17.	400	6:04.44	390	200	2:52.90	388			07	778	2
18.	200	2:52.00	394	400	6:06.47	383			07	777	2
19.	200	2:48.79	417	400	6:22.98	336			07	753	2
20.	400	6:22.91	336	200	3:02.49	330		" "	07	666	2
21.	200	2:23.21	683						00	683	1
22.	200	2:34.44	544						07	544	1

, 27 - 29

2020 .

/ "

", 50

23.	200	,	2:34.76	541	06				541	1
24.	200	,	2:38.55	503	07				503	1
25.	400	,	5:45.63	457	02				457	1
26.	200	,	2:44.37	451	06				451	1
27.	200	,	2:44.60	449	05	/			449	1
28.	200	,	2:46.36	435	07		"	" -	435	1
29.	200	,	2:47.04	430	07				430	1
30.	200	,	2:47.50	426	06				426	1
31.	200	,	2:48.14	422	07				422	1
32.	200	,	2:49.66	410	07		"	"	410	1
	400	,	5:58.50	410	04				410	1
34.	200	,	2:50.09	407	06				407	1
35.	200	,	2:51.77	395	07		-		395	1
36.	200	,	2:54.81	375	06				375	1
37.	200	,	2:57.01	361	07				361	1
38.	200	,	2:57.48	358	07	/			358	1
39.	200	,	3:00.28	342	07		-		342	1
40.	200	,	3:00.83	339	07		"	"	339	1
41.	200	,	3:05.50	314	07		-		314	1
42.	200	,	3:06.83	307	07		-		307	1
43.	200	,	3:08.68	298	07		"	"	298	1

, 15 - 17

1.	200	2:30.40	589	400	5:18.11	587			1176	2
2.	400	5:21.23	570	200	2:34.09	548	"	"	1118	2
3.	400	5:20.71	572	200	2:35.72	531	/		1103	2
4.	400	5:26.24	544	200	2:37.28	515			1059	2
5.	200	2:38.05	508	400	5:35.99	498			1006	2
6.	400	5:34.99	502	200	2:47.75	424			926	2
7.	200	2:44.38	451	400	6:01.29	400			851	2
8.	200	2:44.60	449				/		449	1
9.	400	5:58.50	410						410	1
, 13 - 14										
1.	400	5:26.59	542	200	2:37.54	513			1055	2
2.	400	5:34.06	506	200	2:38.36	505			1011	2
3.	200	2:40.75	482	400	5:41.92	472			954	2
4.	400	5:39.91	481	200	2:42.49	467			948	2
5.	400	5:40.72	477	200	2:44.17	453	/		930	2
6.	200	2:46.14	437	400	5:57.15	414		-	851	2
7.	200	2:46.95	431	400	6:03.58	393			824	2
8.	400	6:00.43	403	200	2:52.37	391		-	794	2
9.	400	6:04.44	390	200	2:52.90	388			778	2
10.	200	2:52.00	394	400	6:06.47	383			777	2
11.	200	2:48.79	417	400	6:22.98	336			753	2
12.	400	6:22.91	336	200	3:02.49	330		" "	666	2
13.	200	2:34.44	544						544	1

, 27 - 29

2020 .

/ "

", 50

14.	200	,	2:34.76	541	06			541	1
15.	200	,	2:38.55	503	07			503	1
16.	200	,	2:44.37	451	06			451	1
17.	200	,	2:46.36	435	07	"	" -	435	1
18.	200	,	2:47.04	430	07			430	1
19.	200	,	2:47.50	426	06			426	1
20.	200	,	2:48.14	422	07			422	1
21.	200	,	2:49.66	410	07	"	"	410	1
22.	200	,	2:50.09	407	06			407	1
23.	200	,	2:51.77	395	07		-	395	1
24.	200	,	2:54.81	375	06			375	1
25.	200	,	2:57.01	361	07			361	1
26.	200	,	2:57.48	358	07	/		358	1
27.	200	,	3:00.28	342	07		-	342	1
28.	200	,	3:00.83	339	07		" "	339	1
29.	200	,	3:05.50	314	07		-	314	1
30.	200	,	3:06.83	307	07		-	307	1
31.	200	,	3:08.68	298	07		" "	298	1

200+400

							, 15	
1.	200	,	670	400	4:50.60	590	1260	2
2.	400	,	631	200	2:13.10	628	1259	2
3.	200	,	634	400	4:49.29	598	1232	2
4.	200	,	640	400	4:54.93	565	1205	2
5.	200	,	634	400	5:00.35	535	1169	2
6.	200	,	569	400	4:55.32	562	1131	2
7.	200	,	545	400	4:59.40	540	1085	2
8.	400	,	544	200	2:21.67	521	1065	2
9.	200	,	526	400	5:02.74	522	1048	2
10.	400	,	524	200	2:22.63	510	1034	2
11.	400	,	477	200	2:25.93	476	953	2
12.	200	,	486	400	5:15.81	460	946	2
13.	200	,	483	400	5:15.26	462	945	2
14.	200	,	485	400	5:16.83	455	940	2
15.	200	,	495	400	5:21.49	436	931	2
16.	200	,	470	400	5:17.52	452	922	2
17.	400	,	426	200	2:33.95	406	832	2
18.	200	,	422	400	5:31.14	399	821	2
19.	200	,	427	400	5:34.38	387	814	2
20.	200	,	412	400	5:44.87	353	765	2
21.	200	,	359	400	5:44.34	355	714	2
22.	200	,	356	400	6:00.21	310	666	2

, 27 - 29

2020 .

/ "

", 50

23.	200	,	2:17.03	575	03			575	1
24.	200	,	2:18.93	552	93	"	"	552	1
25.	200	,	2:20.49	534	05			534	1
26.	200	,	2:25.57	480	05			480	1
27.	200	,	2:25.84	477	05			477	1
28.	200	,	2:26.71	469	00			469	1
29.	200	,	2:26.77	468	04			468	1
30.	200	,	2:26.90	467	03			467	1
31.	200	,	2:28.00	457	05			457	1
32.	200	,	2:29.01	447	01			447	1
33.	400	,	5:19.30	445	03			445	1
34.	200	,	2:30.09	438	05			438	1
35.	200	,	2:30.84	431	05			431	1
36.	200	,	2:31.21	428	04	"	"	428	1
37.	200	,	2:33.15	412	05			412	1
38.	200	,	2:33.42	410	04			410	1
39.	400	,	5:28.44	409	04			409	1
40.	200	,	2:33.97	405	04			405	1
41.	200	,	2:35.10	397	05	/		397	1
42.	200	,	2:36.51	386	04	"	"	386	1
43.	200	,	2:39.09	367	05	/		367	1
44.	200	,	2:39.72	363	05	"	"	363	1
45.	200	,	2:40.35	359	05			359	1

, 17 - 18

1.	200	,	2:17.55	569	400	4:55.32	562	03	1131	2
2.	200	,	2:19.51	545	400	4:59.40	540	02	1085	2
3.	200	,	2:21.21	526	400	5:02.74	522	03	1048	2
4.	200	,	2:24.90	486	400	5:15.81	460	03	946	2
5.	200	,	2:25.21	483	400	5:15.26	462	03	945	2
6.	200	,	2:31.98	422	400	5:31.14	399	03	821	2
7.	200	,	2:17.03	575				03	575	1
8.	200	,	2:26.90	467				03	467	1
9.	400	,	5:19.30	445				03	445	1

, 15 - 16

1.	400	,	4:58.57	544	200	2:21.67	521	05	1065	2
2.	400	,	5:02.33	524	200	2:22.63	510	05	1034	2
3.	400	,	5:11.95	477	200	2:25.93	476	04	953	2
4.	200	,	2:25.00	485	400	5:16.83	455	04	940	2
5.	200	,	2:24.03	495	400	5:21.49	436	05	931	2
6.	200	,	2:26.58	470	400	5:17.52	452	04	922	2
7.	400	,	5:23.85	426	200	2:33.95	406	04	832	2
8.	200	,	2:31.31	427	400	5:34.38	387	04	814	2
9.	200	,	2:33.14	412	400	5:44.87	353	04	765	2
10.	200	,	2:40.31	359	400	5:44.34	355	05	714	2
11.	200	,	2:40.85	356	400	6:00.21	310	05	666	2
12.	200	,	2:20.49	534				05	534	1
13.	200	,	2:25.57	480				05	480	1

, 27 - 29

2020 .

/ "

", 50

14.	200	,	2:25.84	477	05					477	1
15.	200	,	2:26.77	468	04					468	1
16.	200	,	2:28.00	457	05					457	1
17.	200	,	2:30.09	438	05					438	1
18.	200	,	2:30.84	431	05					431	1
19.	200	,	2:31.21	428	04		"	"		428	1
20.	200	,	2:33.15	412	05					412	1
21.	200	,	2:33.42	410	04					410	1
22.	400	,	5:28.44	409	04					409	1
23.	200	,	2:33.97	405	04					405	1
24.	200	,	2:35.10	397	05	/				397	1
25.	200	,	2:36.51	386	04		"	"		386	1
26.	200	,	2:39.09	367	05	/				367	1
27.	200	,	2:39.72	363	05		"	"		363	1
28.	200	,	2:40.35	359	05					359	1

400+800+1500

, 13

1.	400	,	4:39.21	607	1500	18:31.96	567	800	9:50.32	553	1727	3
2.	400	,	4:43.14	582	800	9:56.96	535	1500	18:56.35	531	1648	3
3.	1500	,	18:45.35	547	800	9:55.19	540	400	4:52.20	529	1616	3
4.	400	,	4:52.23	529	1500	19:15.13	505	800	10:14.23	491	1525	3
5.	400	,	4:52.64	527	800	10:08.37	506	1500	20:13.74	436	1469	3
6.	1500	,	19:24.39	494	400	4:59.38	492	800	10:27.27	461	1447	3

7.	800	, 10:24.40	468	400	5:05.57	463	1500	20:01.67	449	1380	3
8.	400	, 5:13.06	430	1500	20:28.04	421	800	10:50.11	414	1265	3
9.	800	, 10:42.95	428	1500	20:26.80	422	400	5:21.12	399	1249	3
10.	400	, 5:15.67	420	800	10:59.49	397	1500	20:53.43	396	1213	3
11.	400	, 5:18.08	410	1500	21:14.84	376	800	11:18.77	364	1150	3
12.	400	, 5:06.61	458	800	10:34.63	445				903	2
13.	400	, 5:08.70	449	800	10:52.10	410				859	2
14.	400	, 5:18.30	409	800	10:57.17	401				810	2
15.	400	, 5:16.80	415	800	11:13.37	373			-	788	2
16.	400	, 5:20.06	403	800	11:14.88	370			-	773	2
17.	400	, 5:22.05	395	800	11:11.06	377			-	772	2
18.	400	, 4:39.51	605							605	1
19.	800	, 9:43.53	573							573	1
20.	800	, 9:53.55	544					"	"	544	1
21.	800	, 9:58.30	531							531	1
22.	400	, 4:58.31	498							498	1
23.	400	, 5:03.07	474					"	"	474	1
24.	400	, 5:08.92	448							448	1
25.	800	, 10:50.01	414							414	1
26.	400	, 5:19.33	406							406	1
27.	800	, 10:55.76	404						-	404	1
28.	800	, 10:57.23	401							401	1
29.	800	, 10:58.14	399						-	399	1
30.		, 								393	1

	400	5:22.81	393											
31.							07						376	1
	400	5:27.50	376											
32.							07			-			375	1
	800	11:11.99	375											
33.							07			"	" -		344	1
	800	11:31.23	344											
34.							06						337	1
	800	11:36.23	337											
DSQ							06							1
	400	4:47.53	501											

, 15 - 17

1.							05						1648	3
	400	4:43.14	582	800	9:56.96	535		1500	18:56.35	531				
2.							05						1469	3
	400	4:52.64	527	800	10:08.37	506		1500	20:13.74	436				
3.							04						1213	3
	400	5:15.67	420	800	10:59.49	397		1500	20:53.43	396				
4.							05						903	2
	400	5:06.61	458	800	10:34.63	445								
5.							05						605	1
	400	4:39.51	605											
6.							05						573	1
	800	9:43.53	573											
7.							04			"	"		544	1
	800	9:53.55	544											
8.							04			"	"		474	1
	400	5:03.07	474											
9.							03						448	1
	400	5:08.92	448											

, 13 - 14

1.							07						1616	3
	1500	18:45.35	547	800	9:55.19	540		400	4:52.20	529				
2.							06						1525	3
	400	4:52.23	529	1500	19:15.13	505		800	10:14.23	491				
3.							06						1447	3
	1500	19:24.39	494	400	4:59.38	492		800	10:27.27	461				
4.							07						1380	3
	800	10:24.40	468	400	5:05.57	463		1500	20:01.67	449				
5.							07						1265	3
	400	5:13.06	430	1500	20:28.04	421		800	10:50.11	414				
6.							07						1249	3
	800	10:42.95	428	1500	20:26.80	422		400	5:21.12	399				
7.							06						1150	3
	400	5:18.08	410	1500	21:14.84	376		800	11:18.77	364				

, 27 - 29

2020 .

/ "

", 50

8.	400	5:08.70	449	800	10:52.10	410				859	2
9.	400	5:18.30	409	800	10:57.17	401				810	2
10.	400	5:16.80	415	800	11:13.37	373			-	788	2
11.	400	5:20.06	403	800	11:14.88	370			-	773	2
12.	400	5:22.05	395	800	11:11.06	377			-	772	2
13.	800	9:58.30	531							531	1
14.	800	10:50.01	414							414	1
15.	400	5:19.33	406							406	1
16.	800	10:55.76	404						-	404	1
17.	800	10:57.23	401							401	1
18.	800	10:58.14	399						-	399	1
19.	400	5:22.81	393							393	1
20.	400	5:27.50	376							376	1
21.	800	11:11.99	375						-	375	1
22.	800	11:31.23	344						" "	344	1
23.	800	11:36.23	337							337	1
DSQ	400	4:47.53	501							06	1

400+800+1500

, 15												
1.	400	,	4:10.56	677	800	9:15.54	539	1500	17:59.44	525	1741	3
2.	400	,	4:23.42	583	1500	17:24.68	579	800	9:06.67	565	1727	3
3.	800	,	9:13.59	544	400	4:30.72	537	1500	18:06.98	514	1595	3
4.	400	,	4:30.43	538	800	9:19.21	528	1500	18:17.53	499	1565	3
5.	400	,	4:32.51	526	1500	18:31.33	481	800	9:38.03	478	1485	3
6.	400	,	4:39.53	487	1500	18:49.48	458	800	9:46.99	456	1401	3
7.	400	,	4:33.76	519	1500	18:56.40	450	800	9:58.40	431	1400	3
8.	400	,	4:50.29	435	800	10:07.77	411	1500	20:02.57	379	1225	3
9.	400	,	4:54.54	417	1500	19:49.64	392	/ 800	10:23.52	381	1190	3
10.	1500	,	20:37.80	348	400	5:17.30	333	800	- 11:00.35	320	1001	3
11.	400	,	4:11.94	666	800	8:47.84	628				1294	2
12.	1500	,	17:05.52	612	400	4:19.87	607				1219	2
13.	1500	,	17:28.79	572	800	9:05.68	568				1140	2
14.	400	,	4:36.10	506	800	9:32.70	492				998	2
15.	400	,	4:38.74	492	800	9:32.96	491				983	2
16.	1500	,	18:45.58	463	800	9:48.90	452		-		915	2
17.	400	,	4:45.31	458	800	9:51.42	446				904	2
18.	400	,	4:49.50	439	800	10:18.36	390				829	2
19.	400	,	4:57.30	405	800	10:56.08	327	/			732	2
20.	800	,	10:45.91	342	400	5:14.88	341				683	2
21.	400	,	4:17.37	625							625	1
22.	1500	,	17:06.13	611							611	1

, 27 - 29

2020 .

/ "

", 50

23.	400	,	4:30.98	535						05					535	1
24.	800	,	9:18.37	530						00					530	1
25.	1500	,	18:46.92	461						04					461	1
26.	400	,	4:45.91	456						01					456	1
27.	800	,	10:10.41	406						05					406	1
28.	400	,	4:57.22	405						04					405	1
29.	400	,	5:05.45	373						04	"	"			373	1
30.	1500	,	20:35.61	350						05					350	1
31.	1500	,	21:06.42	325						04					325	1
32.	800	,	11:17.60	297						05					297	1
DSQ	1500	,		-						03						1
, 17 - 18																
1.	400	,	4:30.43	538	800	9:19.21	528	1500	18:17.53	499					1565	3
2.	400	,	4:32.51	526	1500	18:31.33	481	800	9:38.03	478					1485	3
3.	400	,	4:33.76	519	1500	18:56.40	450	800	9:58.40	431					1400	3
4.	400	,	4:11.94	666	800	8:47.84	628								1294	2
5.	1500	,	17:28.79	572	800	9:05.68	568								1140	2
DSQ	1500	,		-												1

, 15 - 16

1.	400	, 4:23.42	583	1500	17:24.68	05 579	800	9:06.67	565	1727	3
2.	800	, 9:13.59	544	400	4:30.72	05 537	1500	18:06.98	514	1595	3
3.	400	, 4:39.53	487	1500	18:49.48	05 458	800	9:46.99	456	1401	3
4.	400	, 4:50.29	435	800	10:07.77	05 411	1500	20:02.57	379	1225	3
5.	400	, 4:54.54	417	1500	19:49.64	05 392	/ 800	10:23.52	381	1190	3
6.	1500	, 20:37.80	348	400	5:17.30	05 333	800	- 11:00.35	320	1001	3
7.	1500	, 17:05.52	612	400	4:19.87	05 607				1219	2
8.	400	, 4:36.10	506	800	9:32.70	05 492				998	2
9.	400	, 4:38.74	492	800	9:32.96	04 491				983	2
10.	1500	, 18:45.58	463	800	9:48.90	05 452		-		915	2
11.	400	, 4:45.31	458	800	9:51.42	05 446				904	2
12.	400	, 4:49.50	439	800	10:18.36	04 390				829	2
13.	400	, 4:57.30	405	800	10:56.08	05 327	/			732	2
14.	800	, 10:45.91	342	400	5:14.88	05 341				683	2
15.	1500	, 17:06.13	611			04				611	1
16.	400	, 4:30.98	535			05				535	1
17.	1500	, 18:46.92	461			04				461	1
18.	800	, 10:10.41	406			05				406	1
19.	400	, 4:57.22	405			04				405	1
20.	400	, 5:05.45	373			04	"	"		373	1
21.	1500	, 20:35.61	350			05				350	1
22.	1500	, 21:06.42	325			04				325	1
23.	800	, 11:17.60	297			05				297	1

50+100+200

, 13											
1.	100	, 1:05.72	601	50	30.30	97 524	200	2:33.78	496	1621	3
2.	50	, 29.65	559	100	1:07.83	06 547	200	2:35.82	477	1583	3
3.	50	, 29.40	573	100	1:08.43	04 532	200	2:44.95	402	1507	3
4.	100	, 1:09.01	519	200	2:35.56	04 480	50	31.19	480	1479	3
5.	100	, 1:09.51	508	200	2:33.07	04 503	50	32.49	425	1436	3
6.	50	, 30.41	518	100	1:11.06	07 475	200	2:42.29	422	1415	3
7.	50	, 30.81	498	100	1:11.20	05 473	200	2:46.90	388	1359	3
8.	100	, 1:10.30	491	50	31.00	06 489	200	2:49.35	372	1352	3
9.	100	, 1:11.47	467	50	31.79	05 453	/ 200	2:42.39	422	1342	3
10.	50	, 32.61	420	100	1:15.49	06 396	200	2:59.28	313	1129	3
11.	50	, 33.47	388	100	1:17.21	06 371	200	2:50.86	362	1121	3
12.	50	, 32.53	423	100	1:23.01	07 298	200	3:12.10	254	975	3
13.	50	, 29.18	586	100	1:06.90	05 570		" "		1156	2
14.	50	, 30.91	493	100	1:21.18	02 319				812	2
15.	50	, 32.43	427	100	1:17.97	06 360				787	2
16.	50	, 32.95	407	100	1:16.69	06 378				785	2
17.	50	, 35.81	317	100	1:24.61	07 281				598	2
18.	50	, 35.44	327	100	1:27.45	07 255				582	2
19.	200	, 2:21.83	633			05				633	1
20.	200	, 2:22.66	622			05				622	1
21.	50	, 28.83	608			03				608	1
22.	50	, 29.41	573			01				573	1

, 27 - 29

2020 .

/ "

", 50

23.	50	,	29.43	572	00			572	1
24.	100	,	1:08.27	536	06			536	1
25.	50	,	30.88	495	05			495	1
26.	50	,	31.28	476	05	"	" -	476	1
27.	50	,	31.58	462	07	"	" -	462	1
28.	50	,	31.67	459	06	"	"	459	1
29.	50	,	31.96	446	03			446	1
30.	50	,	32.00	444	06			444	1
31.	50	,	32.78	413	04	-		413	1
32.	50	,	33.17	399	04	"	"	399	1
33.	200	,	2:46.15	394	06			394	1
34.	50	,	33.97	371	04			371	1
35.	50	,	34.00	370	06			370	1
36.	50	,	34.65	350	07	-		350	1
37.	50	,	35.29	331	07			331	1
38.	50	,	35.92	314	07	-		314	1
39.	50	,	37.61	274	06			274	1
40.	100	,	1:26.65	262	07	"	"	262	1
41.	50	,	38.51	255	07	-		255	1
42.	50	,	38.67	252	07	"	"	252	1

, 15 - 17

1.	50	,	29.40	573	100	1:08.43	04	532	200	2:44.95	402	1507	3	
2.	100	,	1:09.01	519	200	2:35.56	04	480	50	31.19	480	1479	3	
3.	100	,	1:09.51	508	200	2:33.07	04	503	50	32.49	425	1436	3	
4.	50	,	30.81	498	100	1:11.20	05	473	200	2:46.90	388	1359	3	
5.	100	,	1:11.47	467	50	31.79	05	453	/	200	2:42.39	422	1342	3
6.	50	,	29.18	586	100	1:06.90	05	570		"	"	1156	2	
7.	200	,	2:21.83	633			05					633	1	
8.	200	,	2:22.66	622			05					622	1	
9.	50	,	28.83	608			03					608	1	
10.	50	,	30.88	495			05					495	1	
11.	50	,	31.28	476			05			"	" -	476	1	
12.	50	,	31.96	446			03					446	1	
13.	50	,	32.78	413			04			-		413	1	
14.	50	,	33.17	399			04			"	"	399	1	
15.	50	,	33.97	371			04					371	1	

, 13 - 14

1.	50	,	29.65	559	100	1:07.83	06	547	200	2:35.82	477	1583	3
2.	50	,	30.41	518	100	1:11.06	07	475	200	2:42.29	422	1415	3
3.	100	,	1:10.30	491	50	31.00	06	489	200	2:49.35	372	1352	3
4.	50	,	32.61	420	100	1:15.49	06	396	200	2:59.28	313	1129	3
5.	50	,	33.47	388	100	1:17.21	06	371	200	2:50.86	362	1121	3
6.	50	,	32.53	423	100	1:23.01	07	298	200	3:12.10	254	975	3
7.	50	,	32.43	427	100	1:17.97	06	360				787	2

, 27 - 29

2020 .

/ "

", 50

8.	50	32.95	407	100	1:16.69	378				06	785	2	
9.	50	35.81	317	100	1:24.61	281				07	598	2	
10.	50	35.44	327	100	1:27.45	255				07	582	2	
11.	100	1:08.27	536							06	536	1	
12.	50	31.58	462						"	" -	07	462	1
13.	50	31.67	459						"	"	06	459	1
14.	50	32.00	444							06	444	1	
15.	200	2:46.15	394							06	394	1	
16.	50	34.00	370							06	370	1	
17.	50	34.65	350						-	07	350	1	
18.	50	35.29	331							07	331	1	
19.	50	35.92	314						-	07	314	1	
20.	50	37.61	274							06	274	1	
21.	100	1:26.65	262						"	"	07	262	1
22.	50	38.51	255						-	07	255	1	
23.	50	38.67	252						"	"	07	252	1

50+100+200

, 15

1.	200	2:06.29	688	100	57.23	659	50	26.63	584		01	1931	3
2.	100	57.11	663	50	25.79	643	200	2:13.30	585		01	1891	3
3.	100	57.53	649	50	25.82	641	200	2:13.74	579		03	1869	3
4.	50	26.40	600	100	1:00.76	551	200	2:22.87	475		04	1626	3
5.	100	1:00.37	562	50	27.33	541	200	2:27.81	429		04	1532	3

, 27 - 29

2020 .

/ "

", 50

6.	50	, 27.54	528	100	1:01.69	526	200	2:29.38	415			1469	3
7.	50	, 27.23	547	100	1:02.32	510	200	2:37.86	352			1409	3
8.	50	, 28.36	484	100	1:04.19	467	200	2:34.20	378			1329	3
9.	50	, 25.25	686	100	56.78	675			-			1361	2
10.	100	, 56.82	674	50	25.41	673						1347	2
11.	100	, 59.21	595	200	2:15.33	559						1154	2
12.	50	, 27.59	525	100	1:03.09	492						1017	2
13.	50	, 27.69	520	100	1:03.30	487						1007	2
14.	50	, 27.94	506	100	1:03.19	490			"	" -		996	2
15.	50	, 28.02	502	100	1:03.47	483						985	2
16.	100	1:06.64	, 417	50	29.95	411			"	"		828	2
17.	50	29.56	, 427	100	1:13.11	316			"	"		743	2
18.	50	25.70	, 650									650	1
19.	50	, 26.04	625									625	1
20.	50	, 26.21	613									613	1
21.	100	, 1:00.63	554									554	1
22.	50	, 27.71	519									519	1
23.	50	, 27.84	511						"	"		511	1
24.	50	, 27.86	510									510	1
25.	50	, 27.92	507									507	1
26.	50	, 27.97	504									504	1
27.	50	, 28.08	498									498	1
28.	50	, 28.17	494									494	1
29.		,										488	1

, 27 - 29 2020 . / " ", 50

	100	1:03.24	488										
30.	50	, 28.69	467			05						467	1
31.	50	, 28.82	461			05						461	1
32.	50	, 29.61	425			03		"	" -			425	1
33.	50	, 29.75	419			05						419	1
34.	50	, 30.08	405			05						405	1
35.	50	, 30.13	403			04						403	1
36.	50	, 30.40	393			05						393	1
37.	50	, 30.53	388			04						388	1
38.	50	, 30.76	379			05						379	1
39.	50	, 31.03	369			03						369	1
40.	50	, 31.24	362			05						362	1
41.	50	, 31.78	344			05		"	"			344	1
42.	50	, 34.15	277			04						277	1
DSQ	100	, 1:07.75	397	50	30.47	390	200		-				3
		, 17 - 18											
1.	100	, 57.53	649	50	25.82	641	200	2:13.74	579			1869	3
2.	50	, 25.25	686	100	56.78	675			-			1361	2
3.	100	, 56.82	674	50	25.41	673						1347	2
4.	100	, 59.21	595	200	2:15.33	559						1154	2
5.	50	, 27.59	525	100	1:03.09	492						1017	2
6.	50	, 27.94	506	100	1:03.19	490		"	" -			996	2
7.	50	, 28.02	502	100	1:03.47	483						985	2
8.	100	, 1:00.63	554									554	1

, 27 - 29

2020 .

/ "

", 50

9.	50	,	27.84	511			02	"	"			511	1
10.	50	,	27.86	510			02					510	1
11.	50	,	28.08	498			03					498	1
12.	50	,	28.17	494			02					494	1
13.	50	,	29.61	425			03	"	" -			425	1
14.	50	,	31.03	369			03					369	1
, 15 - 16													
1.	50	,	26.40	600	100	1:00.76	04	551	200	2:22.87	475	1626	3
2.	100	,	1:00.37	562	50	27.33	04	541	200	2:27.81	429	1532	3
3.	50	,	27.54	528	100	1:01.69	04	526	200	2:29.38	415	1469	3
4.	50	,	27.23	547	100	1:02.32	04	510	200	2:37.86	352	1409	3
5.	50	,	28.36	484	100	1:04.19	05	467	200	2:34.20	378	1329	3
6.	100	,	1:06.64	417	50	29.95	04	411		"	"	828	2
7.	50	,	29.56	427	100	1:13.11	04	316		"	"	743	2
8.	50	,	27.71	519			04					519	1
9.	50	,	27.92	507			04					507	1
10.	50	,	27.97	504			05					504	1
11.	100	,	1:03.24	488			05					488	1
12.	50	,	28.69	467			05					467	1
13.	50	,	28.82	461			05					461	1
14.	50	,	29.75	419			05					419	1
15.	50	,	30.08	405			05					405	1
16.	50	,	30.13	403			04					403	1
17.		,					05					393	1

, 27 - 29 2020 . / " ", 50

	50	30.40	393											
18.	50	30.53	388			04							388	1
19.	50	30.76	379			05							379	1
20.	50	31.24	362			05							362	1
21.	50	31.78	344			05		"	"				344	1
22.	50	34.15	277			04							277	1
DSQ	100	1:07.75	397	50	30.47	05	390	200	-					3

50+100+200

		, 13												
1.	50	34.66	610	100	1:17.96	02	556	200	2:53.40	516			1682	3
2.	50	36.16	537	100	1:18.98	05	535	200	2:52.25	526	/		1598	3
3.	200	2:52.07	528	50	36.80	06	509	100	1:20.54	504			1541	3
4.	50	35.72	557	100	1:20.00	05	515	200	3:02.24	444			1516	3
5.	200	2:50.96	538	100	1:21.00	06	496	50	37.95	464	-		1498	3
6.	200	2:54.17	509	100	1:21.02	07	495	50	37.36	487			1491	3
7.	50	36.78	510	100	1:21.16	07	493	200	2:57.37	482	"	"	1485	3
8.	50	37.20	493	100	1:21.41	07	488	200	2:58.57	472			1453	3
9.	50	37.19	494	200	2:57.84	06	478	100	1:22.32	472			1444	3
10.	200	2:57.22	483	100	1:24.19	07	441	50	39.46	413	/		1337	3
11.	50	36.93	504	100	1:23.87	04	447	200	3:11.96	380	"	"	1331	3
12.	200	3:02.79	440	50	38.92	07	431	100	1:26.51	407	"	"	1278	3
13.	200	3:14.19	367	50	42.26	07	336	100	1:33.22	325	"	"	1028	3
14.	100	1:33.81	319	200	3:23.69	06	318	50	43.29	313			950	3
15.						02			"	"	-		1231	2

, 27 - 29 2020 . / " ", 50

	50	34.38	625	100	1:15.77	606						
16.	200	2:48.19	565	50	37.55	479						1044 2
17.	50	37.31	489	100	1:22.76	465						954 2
18.	100	1:24.24	441	200	3:05.22	423	/ "	" \ "	"			864 2
19.	100	1:23.75	448	50	40.64	378						826 2
20.	100	1:32.70	331	50	42.78	324						655 2
21.	200	3:20.09	336	50	45.10	277						613 2
22.	200	2:42.18	631									631 1
23.	50	36.84	508									508 1
24.	50	39.14	423									423 1
25.	50	39.26	419									419 1
26.	50	40.65	378									378 1
27.	50	41.67	351									351 1
28.	50	43.72	304									304 1
DSQ	50		-									06 1

, 15 - 17

1.	50	36.16	537	100	1:18.98	535	/	200	2:52.25	526		1598 3
2.	50	35.72	557	100	1:20.00	515		200	3:02.24	444		1516 3
3.	50	36.93	504	100	1:23.87	447		200	3:11.96	380		1331 3
4.	50	37.31	489	100	1:22.76	465						954 2
5.	100	1:24.24	441	200	3:05.22	423	/ "	" \ "	"			864 2
6.	50	39.14	423									423 1
7.	50	41.67	351									351 1

, 13 - 14												
1.	200	2:52.07	528	50	36.80	06	509	100	1:20.54	504	1541	3
2.	200	2:50.96	538	100	1:21.00	06	496	50	37.95	464	1498	3
3.	200	2:54.17	509	100	1:21.02	07	495	50	37.36	487	1491	3
4.	50	36.78	510	100	1:21.16	07	493	200	2:57.37	482	1485	3
5.	50	37.20	493	100	1:21.41	07	488	200	2:58.57	472	1453	3
6.	50	37.19	494	200	2:57.84	06	478	100	1:22.32	472	1444	3
7.	200	2:57.22	483	100	1:24.19	07	441	50	39.46	413	1337	3
8.	200	3:02.79	440	50	38.92	07	431	100	1:26.51	407	1278	3
9.	200	3:14.19	367	50	42.26	07	336	100	1:33.22	325	1028	3
10.	100	1:33.81	319	200	3:23.69	06	318	50	43.29	313	950	3
11.	200	2:48.19	565	50	37.55	06	479				1044	2
12.	100	1:23.75	448	50	40.64	06	378				826	2
13.	100	1:32.70	331	50	42.78	06	324				655	2
14.	200	3:20.09	336	50	45.10	07	277		-		613	2
15.	50	36.84	508			07					508	1
16.	50	40.65	378			06					378	1
17.	50	43.72	304			07			-		304	1
DSQ	50		-			06						1

50+100+200

										, 15		
1.	50	,	29.41	686	100	1:05.37	666	200	2:25.96	653	2005	3
2.	50	,	29.81	659	100	1:06.74	626	200	2:31.01	590	1875	3
3.	50	,	30.09	641	100	1:08.86	570	200	2:33.57	561	1772	3
4.	50	,	31.12	579	200	2:34.36	552	100	1:09.83	546	1677	3
5.	50	,	31.76	545	100	1:11.22	515	200	2:41.26	484	1544	3
6.	50	,	32.11	527	100	1:11.86	501	200	2:43.97	461	1489	3
7.	200	,	2:37.86	516	100	1:12.55	487	50	33.12	480	1483	3
8.	50	,	35.17	401	200	2:52.65	394	100	1:18.07	391	1186	3
9.	200	,	2:52.50	395	100	1:21.66	341	50	37.17	340	1076	3
10.	200	,	3:00.90	343	50	37.62	328	100	1:24.16	312	983	3
11.	200	,	2:40.60	490	100	1:12.69	484				974	2
12.	200	,	2:38.56	509	50	33.70	456				965	2
13.	50	,	34.10	440	100	1:15.78	427				867	2
14.	50	,	35.72	383	100	1:19.62	368				751	2
15.	50	,	35.29	397	100	1:22.77	328				725	2
16.	50	,	36.43	361	100	1:20.44	357				718	2
17.	50	,	36.22	367	200	2:59.67	350		" "		717	2
18.	100	,	1:21.06	349	50	36.95	346				695	2
19.	100	,	1:22.18	335	50	37.42	333				668	2
20.	50	,	29.45	684					/		684	1
21.	50	,	30.42	620					" "		620	1
22.	50	,	30.83	596							596	1

, 27 - 29

2020 .

/ "

", 50

23.	50	,	32.36	515						02						515	1
24.	50	,	32.94	488						04						488	1
25.	100	,	1:17.14	405						03						405	1
26.	50	,	35.08	404						04						404	1
27.	50	,	35.39	394						04						394	1
28.	50	,	36.01	374						00						374	1
29.	50	,	36.70	353						04		"	"			353	1
30.	50	,	36.78	351						05						351	1
31.	50	,	37.61	328						02						328	1
DSQ	200	,	2:46.95	393	50	35.45	392			03							2
, 17 - 18																	
1.	50	,	31.76	545	100	1:11.22	515	200	2:41.26	484						1544	3
2.	50	,	32.11	527	100	1:11.86	501	200	2:43.97	461						1489	3
3.	50	,	32.36	515												515	1
4.	100	,	1:17.14	405												405	1
5.	50	,	37.61	328												328	1
DSQ	200	,	2:46.95	393	50	35.45	392			03							2
, 15 - 16																	
1.	50	,	31.12	579	200	2:34.36	552	100	1:09.83	546						1677	3
2.	200	,	2:37.86	516	100	1:12.55	487	50	33.12	480						1483	3
3.	50	,	35.17	401	200	2:52.65	394	100	1:18.07	391		"	" -			1186	3
4.	200	,	2:52.50	395	100	1:21.66	341	50	37.17	340						1076	3
5.	200	,	3:00.90	343	50	37.62	328	100	1:24.16	312						983	3
6.		,														974	2

, 27 - 29 2020 . / " ", 50

	200	2:40.60	490	100	1:12.69	484					
7.		,				05				965	2
	200	2:38.56	509	50	33.70	456					
8.		,				05				867	2
	50	34.10	440	100	1:15.78	427					
9.		,				05				751	2
	50	35.72	383	100	1:19.62	368					
10.		,				04				725	2
	50	35.29	397	100	1:22.77	328					
11.		,				05				718	2
	50	36.43	361	100	1:20.44	357					
12.		,				04		" "		717	2
	50	36.22	367	200	2:59.67	350					
13.		,				05				695	2
	100	1:21.06	349	50	36.95	346					
14.		,				05				668	2
	100	1:22.18	335	50	37.42	333					
15.		,				05	/			684	1
	50	29.45	684								
16.		,				04				488	1
	50	32.94	488								
17.		,				04				404	1
	50	35.08	404								
18.		,				04				394	1
	50	35.39	394								
19.		,				04		" "		353	1
	50	36.70	353								
20.		,				05				351	1
	50	36.78	351								

50+100+200

		, 13									
1.		,				00				2086	3
	100	58.27	698	50	26.71	695	200	2:07.63	693		
2.		,				01				1926	3
	100	58.70	683	50	27.11	665	200	2:15.62	578		
3.		,				04				1890	3
	50	27.42	643	100	1:00.06	638	200	2:13.27	609		
4.		,				06				1832	3
	200	2:11.16	639	100	1:00.47	625	50	28.57	568		
5.		,				02				1786	3
	200	2:13.52	605	100	1:01.42	596	50	28.29	585		
6.		,				05		" "		1776	3
	50	27.32	650	100	1:01.61	591	200	2:19.11	535		

7.	50	,	28.25	588	100	1:01.74	587	200	2:15.62	578	1753	3
8.	200	,	2:13.91	600	100	1:01.60	591	50	28.96	546	1737	3
9.	100	,	1:01.97	581	200	2:15.33	581	50	28.48	574	1736	3
10.	50	,	27.79	617	100	1:02.23	573	200	2:19.27	533	1723	3
11.	200	,	2:15.44	580	100	1:02.33	570	50	29.28	528	1678	3
12.	50	,	28.00	604	100	1:02.37	569	200	2:22.75	495	1668	3
13.	100	,	1:02.49	566	200	2:19.05	536	50	29.44	519	1621	3
14.	50	,	28.44	576	100	1:02.91	555	200	2:23.35	489	1620	3
15.	200	,	2:18.69	540	100	1:03.96	528	50	29.28	528	1596	3
16.	100	,	1:03.25	546	50	29.36	523	200	2:21.74	506	1575	3
17.	100	,	1:03.04	551	50	28.87	551	200	2:25.26	470	1572	3
18.	200	,	2:19.42	532	100	1:03.98	527	50	29.81	500	1559	3
19.	50	,	28.91	548	100	1:03.86	530	200	2:26.69	456	1534	3
20.	100	,	1:03.94	528	50	29.69	506	200	2:25.11	471	1505	3
21.	50	,	28.88	550	100	1:04.32	519	200	2:32.42	407	1476	3
22.	50	,	30.06	488	100	1:05.70	487	200	2:25.15	471	1446	3
	50	,	29.77	502	100	1:05.69	487	200	2:26.58	457	1446	3
24.	50	,	30.33	475	100	1:06.34	473	200	2:26.59	457	1405	3
25.	50	,	29.91	495	100	1:06.52	469	200	2:28.58	439	1403	3
26.	200	,	2:25.58	467	100	1:07.43	450	50	32.04	403	1320	3
27.	100	,	1:07.35	452	200	2:27.86	446	50	32.70	379	1277	3
28.	200	,	2:26.98	454	100	1:09.76	407	50	32.57	383	1244	3
29.	200	,	2:31.51	414	100	1:09.71	408	50	32.16	398	1220	3

, 27 - 29

2020 .

/ "

", 50

30.	100	1:09.54	411	200	2:31.98	410	50	32.27	394	" "	1215	3
31.	100	1:09.36	414	50	31.84	410	200	2:34.75	389	" -	1213	3
32.	50	31.81	412	100	1:09.79	406	200	2:35.22	385	" "	1203	3
33.	50	32.11	400	100	1:10.26	398	200	2:35.13	386		1184	3
34.	50	32.07	402	200	2:34.98	387	100	1:11.94	371		1160	3
35.	50	31.08	441	100	1:11.21	382	200	2:43.36	330		1153	3
36.	50	32.06	402	200	2:37.61	368	100	1:12.84	357		1127	3
37.	200	2:15.61	578	50	29.10	538					1116	2
38.	50	28.70	560	100	1:04.80	508				" -	1068	2
39.	200	2:19.22	534	100	1:04.84	507				" "	1041	2
40.	50	29.14	535	100	1:05.91	482					1017	2
41.	100	1:04.35	518	200	2:24.02	482					1000	2
42.	200	2:22.43	499	100	1:07.24	454					953	2
43.	100	1:07.28	454	200	2:26.97	454					908	2
44.	100	1:07.13	457	50	31.16	438				-	895	2
45.	50	31.48	425	100	1:10.34	397					822	2
46.	100	1:09.94	404	50	32.15	399				-	803	2
47.	100	1:09.41	413	50	32.57	383					796	2
48.	100	1:10.04	402	200	2:35.53	383					785	2
49.	200	2:33.81	396	100	1:10.87	388				-	784	2
50.	50	33.24	361	100	1:14.40	335					696	2
51.	200	2:42.92	333	100	1:15.17	325				" "	658	2
52.	100	55.60	804								804	1
53.											695	1

	100	58.35	695					
54.	100	1:00.38	628	03			628	1
55.	50	28.24	588	00			588	1
56.	100	1:02.11	577	05			577	1
57.	100	1:02.86	556	05			556	1
58.	100	1:03.62	536	07			536	1
59.	100	1:04.39	517	05	"	" -	517	1
60.	50	29.65	508	07	"	" -	508	1
61.	50	29.70	506	07			506	1
62.	100	1:04.90	505	05	-		505	1
63.	50	30.71	457	06	-		457	1
64.	50	31.20	436	07			436	1
65.	100	1:08.56	429	03			429	1
66.	50	31.52	423	06	-		423	1
67.	200	2:30.65	421	06	-		421	1
68.	100	1:09.43	413	07	"	"	413	1
69.	200	2:33.13	401	07			401	1
70.	200	2:34.98	387	06	-		387	1
71.	50	32.68	379	07	-		379	1
72.	50	33.14	364	07	-		364	1
73.	100	1:13.38	349	06			349	1
74.	100	1:17.33	299	07	-		299	1
75.	100	1:19.32	277	07	"	"	277	1

, 15 - 17

1.	50	,	27.42	643	100	1:00.06	04	638	200	2:13.27	609	1890	3
2.	50	,	27.32	650	100	1:01.61	05	591	200	2:19.11	535	1776	3
3.	50	,	28.25	588	100	1:01.74	03	587	200	2:15.62	578	1753	3
4.	200	,	2:13.91	600	100	1:01.60	05	591	50	28.96	546	1737	3
5.	200	,	2:15.44	580	100	1:02.33	05	570	50	29.28	528	1678	3
6.	50	,	28.00	604	100	1:02.37	04	569	200	2:22.75	495	1668	3
7.	100	,	1:02.49	566	200	2:19.05	05	536	50	29.44	519	1621	3
8.	50	,	28.44	576	100	1:02.91	04	555	200	2:23.35	489	1620	3
9.	200	,	2:18.69	540	100	1:03.96	05	528	50	29.28	528	1596	3
10.	100	,	1:03.25	546	50	29.36	04	523	200	2:21.74	506	1575	3
11.	200	,	2:19.42	532	100	1:03.98	05	527	50	29.81	500	1559	3
12.	50	,	28.91	548	100	1:03.86	04	530	200	2:26.69	456	1534	3
13.	200	,	2:26.98	454	100	1:09.76	05	407	50	32.57	383	1244	3
14.	50	,	32.06	402	200	2:37.61	04	368	100	1:12.84	357	1127	3
15.	200	,	2:19.22	534	100	1:04.84	04	507		"	"	1041	2
16.	200	,	2:22.43	499	100	1:07.24	04	454				953	2
17.	100	,	1:07.13	457	50	31.16	05	438		-		895	2
18.	100	,	55.60	804			05					804	1
19.	100	,	58.35	695			05					695	1
20.	100	,	1:00.38	628			03					628	1
21.	100	,	1:02.11	577			05					577	1
22.	100	,	1:02.86	556			05					556	1
23.	100	,	1:04.39	517			05			"	" -	517	1

24.	100	1:04.90	505		05	-				505	1
25.	100	1:08.56	429		03					429	1
, 13 - 14											
1.	200	2:11.16	639	100	1:00.47	625	50	28.57	568	1832	3
2.	100	1:03.94	528	50	29.69	506	200	2:25.11	471	1505	3
3.	50	30.06	488	100	1:05.70	487	200	2:25.15	471	1446	3
	50	29.77	502	100	1:05.69	487	200	2:26.58	457	1446	3
5.	50	30.33	475	100	1:06.34	473	200	2:26.59	457	1405	3
6.	50	29.91	495	100	1:06.52	469	200	2:28.58	439	1403	3
7.	200	2:25.58	467	100	1:07.43	450	50	32.04	403	1320	3
8.	100	1:07.35	452	200	2:27.86	446	50	32.70	379	1277	3
9.	200	2:31.51	414	100	1:09.71	408	50	32.16	398	1220	3
10.	100	1:09.54	411	200	2:31.98	410	50	32.27	394	1215	3
11.	100	1:09.36	414	50	31.84	410	200	2:34.75	389	1213	3
12.	50	31.81	412	100	1:09.79	406	200	2:35.22	385	1203	3
13.	50	32.11	400	100	1:10.26	398	200	2:35.13	386	1184	3
14.	50	32.07	402	200	2:34.98	387	100	1:11.94	371	1160	3
15.	50	31.08	441	100	1:11.21	382	200	2:43.36	330	1153	3
16.	200	2:15.61	578	50	29.10	538				1116	2
17.	50	29.14	535	100	1:05.91	482				1017	2
18.	100	1:04.35	518	200	2:24.02	482				1000	2
19.	100	1:07.28	454	200	2:26.97	454				908	2
20.	50	31.48	425	100	1:10.34	397				822	2
21.										803	2

, 27 - 29

2020 .

/ "

", 50

	100	1:09.94	404	50	32.15	399					
22.		,				06				796	2
	100	1:09.41	413	50	32.57	383					
23.		,				07				785	2
	100	1:10.04	402	200	2:35.53	383					
24.		,				07		-		784	2
	200	2:33.81	396	100	1:10.87	388					
25.		,				06				696	2
	50	33.24	361	100	1:14.40	335					
26.		,				07		" "		658	2
	200	2:42.92	333	100	1:15.17	325					
27.		,				07				536	1
	100	1:03.62	536								
28.		,				07		" "		508	1
	50	29.65	508								
29.		,				07				506	1
	50	29.70	506								
30.		,				06		-		457	1
	50	30.71	457								
31.		,				07				436	1
	50	31.20	436								
32.		,				06		-		423	1
	50	31.52	423								
33.		,				06		-		421	1
	200	2:30.65	421								
34.		,				07		" "		413	1
	100	1:09.43	413								
35.		,				07				401	1
	200	2:33.13	401								
36.		,				06		-		387	1
	200	2:34.98	387								
37.		,				07		-		379	1
	50	32.68	379								
38.		,				07		-		364	1
	50	33.14	364								
39.		,				06				349	1
	100	1:13.38	349								
40.		,				07		-		299	1
	100	1:17.33	299								
41.		,				07		" "		277	1
	100	1:19.32	277								

50+100+200

, 15											
1.	100	, 51.77	743	50	23.76	96 681	200	1:56.64	668	2092	3
2.	100	, 53.24	684	50	24.33	01 634	200	2:02.36	579	1897	3
3.	100	, 54.53	636	50	24.46	03 624	200	2:00.54	605	1865	3
4.	200	1:58.33	, 640	100	54.93	02 622	50	25.52	550	1812	3
5.	100	, 55.12	616	200	2:00.02	03 613	50	25.95	523	1752	3
6.	100	, 55.52	603	50	25.31	03 563	200	2:07.11	516	1682	3
7.	100	, 56.23	580	50	25.33	01 562	200	2:08.84	496	1638	3
8.	100	, 56.14	583	50	25.59	04 545	200	" 2:08.13	" 504	1632	3
9.	100	, 56.31	578	50	25.84	04 529	200	2:06.77	520	1627	3
10.	100	, 56.93	559	200	2:04.05	05 555	50	26.39	497	1611	3
11.	100	, 56.74	565	200	2:07.35	04 513	50	26.71	479	1557	3
12.	200	, 2:06.37	525	100	58.24	05 522	50	26.30	502	1549	3
13.	200	, 2:06.01	530	50	26.23	05 506	100	58.90	505	1541	3
14.	100	, 58.13	525	200	2:08.67	03 498	50	26.65	483	1506	3
15.	100	, 58.46	, 516	50	26.32	02 501	200	2:09.72	486	1503	3
16.	50	, 25.99	520	100	58.37	02 519	200	" 2:12.81	" 453	1492	3
	100	, 57.99	529	200	2:09.66	05 486	50	26.75	477	1492	3
18.	100	, 57.59	540	50	26.01	04 519	200	2:16.14	420	1479	3
19.	100	, 58.85	506	50	26.24	04 506	200	" 2:13.82	" 442	1454	3
20.	50	, 26.21	507	100	59.08	05 500	200	2:14.96	431	1438	3
21.	100	, 58.80	507	200	2:12.29	05 458	50	27.24	452	1417	3

, 27 - 29

2020 .

/ "

", 50

22.	100	,	59.72	484	50	26.88	470	200	2:12.04	460	1414	3
23.	100	,	1:01.30	448	50	27.37	445	200	2:17.62	407	1300	3
24.	100	,	1:01.20	450	50	27.32	448	200	2:19.30	392	1290	3
25.	100	,	1:00.81	459	200	2:16.33	418	50	28.60	390	1267	3
26.	100	,	1:02.59	420	200	2:18.49	399	50	28.53	393	1212	3
27.	100	,	53.12	688	50	24.52	620				1308	2
28.	100	,	54.05	653	200	1:57.77	649				1302	2
29.	200	,	1:57.06	661	100	54.95	622		"	"	1283	2
30.	100	,	56.68	566	50	25.94	523				1089	2
	50	,	25.59	545	100	57.43	544				1089	2
32.	100	,	56.67	567	50	26.50	491				1058	2
33.	50	,	26.00	520	100	58.48	516				1036	2
34.	100	,	59.01	502	50	26.71	479				981	2
35.	100	,	59.70	485	50	27.18	455				940	2
36.	200	,	2:08.11	504	50	27.90	420				924	2
37.	100	,	59.94	479	50	27.64	432		"	"	911	2
38.	100	,	1:01.28	448	50	27.87	422		"	" -	870	2
39.	100	,	1:01.55	442	50	28.39	399				841	2
40.	100	,	1:01.86	436	200	2:19.56	390	/			826	2
41.	200	,	2:21.27	376	50	29.15	369				745	2
42.	50	,	28.98	375	100	1:05.36	369		"	"	744	2
43.	100	,	1:05.51	367	200	2:29.16	319	/			686	2
44.	50	,	30.08	335	100	1:09.48	307				642	2

, 27 - 29

2020 .

/ "

", 50

45.	200	,	2:29.88	315	100	1:09.17	311	05				626	2
46.	100	,	1:08.50	321	50	31.68	287	05				608	2
47.	50	,	31.49	292	100	1:11.26	285	05				577	2
48.	50	,	23.85	673				93	"	"		673	1
49.	50	,	23.91	668				97				668	1
50.	200	,	1:58.38	639				03				639	1
51.	100	,	54.85	625				04	/			625	1
52.	50	,	24.61	613				89				613	1
53.	100	,	55.33	609				03				609	1
54.	100	,	56.46	573				00				573	1
55.	100	,	56.63	568				02				568	1
56.	200	,	2:03.30	566				05				566	1
57.	100	,	56.88	560				04				560	1
58.	100	,	57.13	553				03				553	1
	100	,	57.15	553				03				553	1
60.	50	,	25.57	546				02				546	1
61.	50	,	25.69	539				04				539	1
62.	50	,	25.99	520				03	"	" -		520	1
63.	100	,	58.66	511				04				511	1
64.	50	,	26.29	503				02				503	1
65.	100	,	59.26	496				03				496	1
66.	200	,	2:09.28	491				04				491	1
67.	100	,	59.79	482				04				482	1
68.		,						05				472	1

, 27 - 29

2020 .

/ "

", 50

50	26.85	472							
69.				05				467	1
50	26.94	467							
70.				04				466	1
100	1:00.48	466							
71.				05				458	1
100	1:00.82	458							
72.				05				457	1
50	27.14	457							
73.				05		-		446	1
50	27.35	446							
74.				05				434	1
100	1:01.94	434							
75.				05				433	1
100	1:01.99	433							
76.				05				430	1
50	27.69	430							
77.				04				426	1
100	1:02.34	426							
78.				05				416	1
50	27.99	416							
79.				03				414	1
50	28.05	414							
80.				05				413	1
50	28.07	413							
				04		" "		413	1
50	28.06	413							
82.				05				405	1
100	1:03.36	405							
83.				05				399	1
100	1:03.69	399							
84.				03				393	1
50	28.53	393							
85.				05				386	1
100	1:04.39	386							
86.				05				383	1
50	28.77	383							
87.				05		-		359	1
100	1:05.95	359							

, 17 - 18

1.	100	, 54.53	636	50	24.46	03 624	200	2:00.54	605	1865	3
2.	200	1:58.33	, 640	100	54.93	02 622	50	25.52	550	1812	3
3.	100	, 55.12	616	200	2:00.02	03 613	50	25.95	523	1752	3
4.	100	55.52	, 603	50	25.31	03 563	200	2:07.11	516	1682	3
5.	100	, 58.13	525	200	2:08.67	03 498	50	26.65	483	1506	3
6.	100	58.46	, 516	50	26.32	02 501	200	2:09.72	486	1503	3
7.	50	, 25.99	520	100	58.37	02 519	200	" 2:12.81	" 453	1492	3
8.	100	, 53.12	688	50	24.52	03 620				1308	2
9.	100	, 56.68	566	50	25.94	02 523				1089	2
10.	100	, 56.67	567	50	26.50	03 491				1058	2
11.	100	, 59.70	485	50	27.18	03 455				940	2
12.	100	, 1:01.28	448	50	27.87	03 422		"	" -	870	2
13.	200	, 1:58.38	639			03				639	1
14.	100	, 55.33	609			03				609	1
15.	100	, 56.63	568			02				568	1
16.	100	, 57.13	553			03				553	1
	100	, 57.15	553			03				553	1
18.	50	, 25.57	546			02				546	1
19.	50	, 25.99	520			03		"	" -	520	1
20.	50	, 26.29	503			02				503	1
21.	100	, 59.26	496			03				496	1
22.	50	, 28.05	414			03				414	1
23.	50	, 28.53	393			03				393	1

, 15 - 16

1.	100	, 56.14	583	50	25.59	04 545	200	" 2:08.13	" 504	1632	3
2.	100	, 56.31	578	50	25.84	04 529	200	2:06.77	520	1627	3
3.	100	, 56.93	559	200	2:04.05	05 555	50	26.39	497	1611	3
4.	100	, 56.74	565	200	2:07.35	04 513	50	26.71	479	1557	3
5.	200	, 2:06.37	525	100	58.24	05 522	50	26.30	502	1549	3
6.	200	, 2:06.01	530	50	26.23	05 506	100	58.90	505	1541	3
7.	100	, 57.99	529	200	2:09.66	05 486	50	26.75	477	1492	3
8.	100	, 57.59	540	50	26.01	04 519	200	2:16.14	420	1479	3
9.	100	, 58.85	506	50	26.24	04 506	200	" 2:13.82	" 442	1454	3
10.	50	, 26.21	507	100	59.08	05 500	200	2:14.96	431	1438	3
11.	100	, 58.80	507	200	2:12.29	05 458	50	27.24	452	1417	3
12.	100	, 59.72	484	50	26.88	05 470	200	2:12.04	460	1414	3
13.	100	, 1:01.30	448	50	27.37	04 445	200	2:17.62	407	1300	3
14.	100	, 1:01.20	450	50	27.32	05 448	200	2:19.30	392	1290	3
15.	100	, 1:00.81	459	200	2:16.33	04 418	50	28.60	390	1267	3
16.	100	, 1:02.59	420	200	2:18.49	04 399	50	28.53	393	1212	3
17.	50	, 26.00	520	100	58.48	04 516				1036	2
18.	100	, 59.01	502	50	26.71	04 479				981	2
19.	200	, 2:08.11	504	50	27.90	05 420				924	2
20.	100	, 59.94	479	50	27.64	04 432			" "	911	2
21.	100	, 1:01.55	442	50	28.39	05 399				841	2
22.	100	, 1:01.86	436	200	2:19.56	05 390	/			826	2
23.	200	, 2:21.27	376	50	29.15	05 369				745	2

, 27 - 29

2020 .

/ "

", 50

24.	50	,	28.98	375	100	1:05.36	369	04	" "	744	2
25.	100	,	1:05.51	367	200	2:29.16	319	05	/	686	2
26.	50	,	30.08	335	100	1:09.48	307	05		642	2
27.	200	,	2:29.88	315	100	1:09.17	311	05		626	2
28.	100	,	1:08.50	321	50	31.68	287	05		608	2
29.	50	,	31.49	292	100	1:11.26	285	05		577	2
30.	100	,	54.85	625				04	/	625	1
31.	200	,	2:03.30	566				05		566	1
32.	100	,	56.88	560				04		560	1
33.	50	,	25.69	539				04		539	1
34.	100	,	58.66	511				04		511	1
35.	200	,	2:09.28	491				04		491	1
36.	100	,	59.79	482				04		482	1
37.	50	,	26.85	472				05		472	1
38.	50	,	26.94	467				05		467	1
39.	100	,	1:00.48	466				04		466	1
40.	100	,	1:00.82	458				05		458	1
41.	50	,	27.14	457				05		457	1
42.	50	,	27.35	446				05	-	446	1
43.	100	,	1:01.94	434				05		434	1
44.	100	,	1:01.99	433				05		433	1
45.	50	,	27.69	430				05		430	1
46.	100	,	1:02.34	426				04		426	1
47.		,						05		416	1

, 27 - 29 2020 . / " ", 50

50	27.99	416										
48.						05						413 1
50	28.07	413										
						04		"	"			413 1
50	28.06	413										
50.						05						405 1
100	1:03.36	405										
51.						05						399 1
100	1:03.69	399										
52.						05						386 1
100	1:04.39	386										
53.						05						383 1
50	28.77	383										
54.						05			-			359 1
100	1:05.95	359										

50+100+200

, 13												
1.						03						1995 3
100	1:05.48	694	50	30.86	668	200	2:24.43	633				
2.						02						1908 3
100	1:06.56	661	50	31.43	632	200	2:25.87	615				
3.						05						1815 3
100	1:07.72	628	200	2:26.35	609	50	32.38	578				
4.						05	/					1757 3
100	1:08.45	608	50	32.35	580	200	2:29.65	569				
5.						04			"	"		1700 3
200	2:27.49	595	100	1:10.38	559	50	32.99	546				
6.						01						1693 3
50	31.79	611	100	1:09.69	576	200	2:35.62	506				
7.						06						1667 3
50	32.42	576	100	1:10.22	563	200	2:33.43	528				
8.						05			-			1598 3
50	32.95	548	100	1:11.59	531	200	2:34.37	519				
9.						06	/					1525 3
100	1:11.90	524	50	33.65	515	200	2:37.71	486				
10.						07						1493 3
50	33.77	509	100	1:12.72	507	200	2:38.75	477				
11.						06						1447 3
200	2:34.24	520	100	1:14.10	479	50	35.26	448				
12.						03						1445 3
100	1:13.03	500	50	34.34	484	200	2:40.51	461				
13.						07						1435 3
50	34.22	490	200	2:39.03	474	100	1:14.53	471				

, 27 - 29

2020 .

/ "

", 50

14.	100	, 1:13.18	497	50	34.75	04 468	200	- 2:41.80	450	1415	3
15.	200	, 2:39.36	471	100	1:14.59	06 470	50	- 34.75	468	1409	3
16.	100	, 1:14.13	478	50	34.85	07 463	200	- 2:41.26	455	1396	3
17.	50	, 34.23	489	100	1:14.48	04 472	200	- 2:46.59	412	1373	3
18.	200	, 2:53.03	368	50	37.68	07 367	100	" 1:21.26	363	1098	3
19.	100	, 1:20.23	377	200	2:55.40	06 353	50	- 39.44	320	1050	3
20.	50	, 38.74	337	100	1:26.69	06 299	200	- 3:10.23	277	913	3
21.	50	, 31.82	609	100	1:08.83	00 598				1207	2
22.	100	, 1:08.79	599	50	32.31	05 582				1181	2
23.	200	, 2:36.40	499	100	1:15.04	07 461		-		960	2
24.	100	, 1:22.72	344	50	38.80	07 336				680	2
25.	50	, 31.67	618			05				618	1
26.	50	, 31.84	608			00				608	1
27.	50	, 31.85	607			05				607	1
28.	50	, 32.73	560			07				560	1
29.	100	, 1:11.26	539			06				539	1
30.	100	, 1:12.42	513			04	"	"		513	1
31.	50	, 33.79	509			05	"	" -		509	1
32.	100	, 1:12.70	507			02				507	1
33.	100	, 1:14.53	471			05				471	1
34.	50	, 34.88	462			04				462	1
35.	200	, 2:41.87	450			07		-		450	1
36.	50	, 37.08	385			07		-		385	1
37.		,				07		-		373	1

, 13 - 14

1.	50	, 32.42	576	100	1:10.22	06 563	200	2:33.43	528	1667	3
2.	100	, 1:11.90	524	50	33.65	06 515	/ 200	2:37.71	486	1525	3
3.	50	, 33.77	509	100	1:12.72	07 507	200	2:38.75	477	1493	3
4.	200	, 2:34.24	520	100	1:14.10	06 479	50	35.26	448	1447	3
5.	50	, 34.22	490	200	2:39.03	07 474	100	1:14.53	471	1435	3
6.	200	, 2:39.36	471	100	1:14.59	06 470	50	- 34.75	468	1409	3
7.	100	, 1:14.13	478	50	34.85	07 463	200	2:41.26	455	1396	3
8.	200	, 2:53.03	368	50	37.68	07 367	100	" 1:21.26	363	1098	3
9.	100	, 1:20.23	377	200	2:55.40	06 353	50	- 39.44	320	1050	3
10.	50	, 38.74	337	100	1:26.69	06 299	200	3:10.23	277	913	3
11.	200	, 2:36.40	499	100	1:15.04	07 461		-		960	2
12.	100	, 1:22.72	344	50	38.80	07 336				680	2
13.	50	, 32.73	560			07				560	1
14.	100	, 1:11.26	539			06				539	1
15.	200	, 2:41.87	450			07		-		450	1
16.	50	, 37.08	385			07		-		385	1
17.	50	, 37.47	373			07		-		373	1
18.	100	, 1:29.88	268			07		" "		268	1

50+100+200

, 15											
1.	100	1:00.15	640	200	2:10.74	627	50	28.19	617	1884	3
2.	50	, 26.88	711	100	1:00.27	636	200	2:21.37	496	1843	3
3.	100	, 1:01.74	592	50	28.91	572	200	2:14.88	571	1735	3
4.	50	, 27.78	644	100	1:01.01	613	200	2:28.17	430	1687	3
5.	100	, 1:02.05	583	50	29.51	537	200	2:17.82	535	1655	3
6.	50	, 28.91	572	100	1:03.53	543	200	2:17.45	539	1654	3
7.	50	, 28.77	580	100	1:02.91	559	200	2:20.39	506	1645	3
8.	200	, 2:20.03	510	50	30.04	509	100	1:05.57	494	1513	3
9.	50	, 29.91	516	100	1:05.46	496	200	2:24.00	469	1481	3
10.	100	, 1:05.48	496	50	30.43	490	200	2:25.61	454	1440	3
11.	100	, 1:05.21	502	50	30.29	497	200	2:27.63	435	1434	3
12.	50	, 28.51	596	100	1:07.76	448	200	2:35.36	373	1417	3
13.	200	, 2:22.46	484	100	1:06.68	470	50	31.33	449	1403	3
14.	50	, 30.82	472	100	1:07.10	461	200	2:26.93	441	1374	3
15.	100	, 1:06.24	479	50	30.99	464	200	2:30.50	411	1354	3
16.	50	, 31.10	459	100	1:07.50	453	200	2:33.89	384	1296	3
17.	50	, 32.37	407	100	1:11.68	378	200	2:40.34	340	1125	3
18.	50	, 33.65	362	100	1:14.09	342	200	2:41.36	333	1037	3
19.	200	, 2:41.00	335	100	1:14.70	334	50	34.91	324	993	3
20.	100	, 57.79	722	50	26.85	714				1436	2
21.	50	, 27.69	651	100	1:00.88	617				1268	2
22.	100	, 1:01.68	594	50	28.68	585			-	1179	2

, 27 - 29

2020 .

/ "

", 50

23.	50	,	28.81	578	100	1:03.02	03	556	-			1134	2
24.	50	,	31.21	454	100	1:09.29	05	419	"	"		873	2
25.	50	,	31.66	435	100	1:09.16	04	421				856	2
26.	50	,	31.73	432	100	1:15.72	04	321				753	2
27.	200	,	2:35.41	373	50	34.15	05	347				720	2
28.	50	,	27.96	632			97					632	1
29.	50	,	28.56	593			03					593	1
30.	50	,	28.79	579			01					579	1
31.	50	,	29.26	551			02					551	1
32.	50	,	30.14	504			04		-			504	1
33.	50	,	30.82	472			02					472	1
34.	50	,	32.06	419			04					419	1
35.	50	,	33.87	355			05					355	1
, 17 - 18													
1.	100	,	1:02.05	583	50	29.51	03	537	200	2:17.82	535	1655	3
2.	100	,	1:05.21	502	50	30.29	03	497	200	2:27.63	435	1434	3
3.	100	,	1:01.68	594	50	28.68	03	585		-		1179	2
4.	50	,	28.81	578	100	1:03.02	03	556		-		1134	2
5.	50	,	28.56	593			03					593	1
6.	50	,	29.26	551			02					551	1
7.	50	,	30.82	472			02					472	1

, 15 - 16

1.	50	,	28.91	572	100	1:03.53	05	543	200	2:17.45	539	1654	3
2.	50	,	28.77	580	100	1:02.91	05	559	200	2:20.39	506	1645	3
3.	200	,	2:20.03	510	50	30.04	05	509	100	1:05.57	494	1513	3
4.	50	,	29.91	516	100	1:05.46	04	496	200	"	"	1481	3
5.	100	,	1:05.48	496	50	30.43	05	490	200	2:25.61	454	1440	3
6.	50	,	30.82	472	100	1:07.10	04	461	200	2:26.93	441	1374	3
7.	100	,	1:06.24	479	50	30.99	04	464	200	2:30.50	411	1354	3
8.	50	,	31.10	459	100	1:07.50	04	453	200	"	"	1296	3
9.	50	,	32.37	407	100	1:11.68	05	378	200	2:40.34	340	1125	3
10.	50	,	33.65	362	100	1:14.09	04	342	200	2:41.36	333	1037	3
11.	200	,	2:41.00	335	100	1:14.70	05	334	50	34.91	324	993	3
12.	50	,	31.21	454	100	1:09.29	05	419		"	"	873	2
13.	50	,	31.66	435	100	1:09.16	04	421				856	2
14.	50	,	31.73	432	100	1:15.72	04	321				753	2
15.	200	,	2:35.41	373	50	34.15	05	347				720	2
16.	50	,	30.14	504			04			-		504	1
17.	50	,	32.06	419			04					419	1
18.	50	,	33.87	355			05					355	1